



<http://researchspace.auckland.ac.nz>

ResearchSpace@Auckland

Copyright Statement

The digital copy of this thesis is protected by the Copyright Act 1994 (New Zealand).

This thesis may be consulted by you, provided you comply with the provisions of the Act and the following conditions of use:

- Any use you make of these documents or images must be for research or private study purposes only, and you may not make them available to any other person.
- Authors control the copyright of their thesis. You will recognise the author's right to be identified as the author of this thesis, and due acknowledgement will be made to the author where appropriate.
- You will obtain the author's permission before publishing any material from their thesis.

To request permissions please use the Feedback form on our webpage.
<http://researchspace.auckland.ac.nz/feedback>

General copyright and disclaimer

In addition to the above conditions, authors give their consent for the digital copy of their work to be used subject to the conditions specified on the Library Thesis Consent Form.

THE CRYSTAL STRUCTURES OF THE

BROMO AND CHLORO DERIVATIVES OF PICROTOXININ

A thesis presented to the University of New Zealand
for the degree of Doctor of Philosophy.

Bryan Maxwell Craven

June, 1957.

I would like to thank Dr. F. J. Llewellyn for his advice in this work and the University of New Zealand for the grant of a Research Fund Fellowship during the period 1954-1955.

I would also like to acknowledge gratefully the many hours which my wife has spent helping me with the calculations.

B. M. C.

INDEX.

Introduction:

(1) General	page (1)
(2) Degradation of picrotoxinin and picrotin.....	(2)
(3) The functional groups in picrotoxinin and picrotin....	(3)
(4) Some reactions of picrotoxinin.....	(5)
(5) A proposed structure for picrotoxinin.....	(7)
(6) Examination of the crystal structure of picrotoxinin by the method of X-ray diffraction.....	(10)

Part 1. The Investigation of the Crystal Structure
of β -Bromopicrotoxinin.

A. The examination of the crystals.....	(12)
B. The determination of the space group.....	(12)
C. The determination of the axial lengths.....	(13)
D. The calculation of the molecular weight.....	(14)
E. The measurement of the intensities of the X-ray reflections.....	(15)
F. The observed structure amplitudes.....	(16)
G. The approach to the structure determination.....	(17)
H. The calculation of the Patterson synthesis.....	(18)
I. The position of the bromine atom.....	(19)
J. The calculated structure factors.....	(21)
K. The Fourier synthesis.....	(22)
L. The heavy atom method.....	(23)
M. The application of the heavy atom method to β -bromopicrotoxinin.....	(24)
N. The attempted structure determination.....	(25)

Part 2. The Method of Isomorphous Replacement Applied to
 α -Bromopicrotoxinin and α -Chloropicrotoxinin.

A. The preliminary examination.....	(29)
B The observed structure amplitudes.....	(32)
C. The Patterson synthesis.....	(33)
D. The coordinates of the halogen atoms.....	(33)
E. The structure factor expression for the projections..	(35)
F. The halogen atom contributions to the structure factors.....	(37)
G. The temperature factor.....	(37)
H. The method of isomorphous replacement.....	(38)
I. The application of the isomorphous replacement method.....	(39)

Part 3. The Refinement of the Projections of Electron
Density in α_2 -Bromopicrotoxinin.

A. Phase angle determination by the heavy atom method...	(41)
B. The electron density expression.....	(41)
C. The first Fourier syntheses.....	(42)
D. The proposed method of refinement - the difference Fourier synthesis.....	(43)
E. The refinement of the [c] axis projection. (i) The initial stages of refinement.....	(48)
(ii) The scale of F_{obs}	(50)
(iii) The refinement (contd).....	(54)
(iv) The refinement extended to include those planes with $\rho < 1.4$	(58)

F. The refinement of the [a] axis projection.....	(60)
(i) The refinement using the planes with $\rho < 1.0$..	(60)
(ii) The refinement using the planes with $\rho < 1.4$..	(62)
G. The refinement of the [b] axis projection.....	(66)
H. The attempt to find a trial structure.....	(69)
I. The refinement of the [a] axis projection checked... J. The abandonment of the two dimensional approach....	(70)
	(74)

Part 4. The Three Dimensional Structure Analysis
of α_2 -Bromopicrotoxinin.

A. The observed structure amplitudes.....	(76)
B. The three dimensional Patterson synthesis.....	(77)
C. The method of vector convergence.....	(78)
D. The calculation of structure factors.....	(81)
E. The electron density expression.....	(82)
F. The first three dimensional Fourier synthesis.....	(83)
G. The second three dimensional Fourier synthesis.....	(85)
H. The structure determination.....	(86)
I. A discussion of the proposed structure.....	(90)
J. The proposed completion of the structure determination.....	(91)

Appendices.

I The X-ray photography.....	(92)
II The observed structure amplitudes F_{0kl} for β -bromopicrotoxinin.....	(94)
III The derivation of the structure factor expression F_{0kl} for the space group $P4_1$	(96)
IV The derivation of the electron density expression $\rho(yz)$ for the space group $P4_1$	(100)

V	The derivation of the structure factor expression for the projections of the space group P ₂ 12 ₁ 2 ₁	(103)
VI	The derivation of the electron density expression for the projections of the space group P ₂ 12 ₁ 2 ₁	(105)
VII	The observed structure amplitudes for α -chloropicretoxinin.....	(107)
VIII	Some calculations in the course of the refinement of the [c] axis projection of α_2 -bromopicretoxinin(110)	
IX	The calculated structure factors and observed structure amplitudes for α_2 -bromopicretoxinin at the completion of the refinement in two dimensions....	(112)
X	The correlation of the atomic coordinates taken from both the two and three dimensional structure analyses.....	(125)
XI	The derivation of the structure factor expression F_{hkl} for the space group P ₂ 12 ₁ 2 ₁	(130)
XII	The derivation of the electron density expression $\rho(xyz)$ for the space group P ₂ 12 ₁ 2 ₁	(134)
XIII	The observed structure amplitudes and calculated structure factors for α_2 -bromopicretoxinin for those planes hkl with $\rho < 1.0$	(139)
<u>Bibliography.</u>		(151)