



Libraries and Learning Services

University of Auckland Research Repository, ResearchSpace

Version

This is the Accepted Manuscript version. This version is defined in the NISO recommended practice RP-8-2008 <http://www.niso.org/publications/rp/>

Suggested Reference

van Mulukom, V., Schacter, D. L., Corballis, M. C., & Addis, D. R. (2016). The degree of disparateness of event details modulates future simulation construction, plausibility, and recall. *Quarterly Journal of Experimental Psychology*, 69(2), 234-242.

Copyright

Items in ResearchSpace are protected by copyright, with all rights reserved, unless otherwise indicated. Previously published items are made available in accordance with the copyright policy of the publisher.

This is an Accepted Manuscript of an article published in *Quarterly Journal of Experimental Psychology* on 15 Jun 2015, available online:

<http://www.tandfonline.com/doi/full/10.1080/10556788.2015.1047018>

For more information, see [General copyright](#), [Publisher copyright](#), [SHERPA/RoMEO](#).

This article was downloaded by: [University of Auckland Library]

On: 08 June 2015, At: 22:26

Publisher: Routledge

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



The Quarterly Journal of Experimental Psychology

Publication details, including instructions for authors and subscription information:
<http://www.tandfonline.com/loi/pqje20>

The degree of disparateness of event details modulates future simulation construction, plausibility and recall

Valerie van Mulukom^{ab}, Daniel L. Schacter^c, Michael C. Corballis^{ab} & Donna Rose Addis^{ab}

^a School of Psychology, The University of Auckland, Auckland, New Zealand

^b Centre for Brain Research, The University of Auckland, Auckland, New Zealand

^c Department of Psychology, Harvard University, Cambridge, Massachusetts, United States of America

Accepted author version posted online: 08 Jun 2015.



[Click for updates](#)

To cite this article: Valerie van Mulukom, Daniel L. Schacter, Michael C. Corballis & Donna Rose Addis (2015): The degree of disparateness of event details modulates future simulation construction, plausibility and recall, The Quarterly Journal of Experimental Psychology, DOI: [10.1080/17470218.2015.1051559](https://doi.org/10.1080/17470218.2015.1051559)

To link to this article: <http://dx.doi.org/10.1080/17470218.2015.1051559>

Disclaimer: This is a version of an unedited manuscript that has been accepted for publication. As a service to authors and researchers we are providing this version of the accepted manuscript (AM). Copyediting, typesetting, and review of the resulting proof will be undertaken on this manuscript before final publication of the Version of Record (VoR). During production and pre-press, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal relate to this version also.

PLEASE SCROLL DOWN FOR ARTICLE

Taylor & Francis makes every effort to ensure the accuracy of all the information (the "Content") contained in the publications on our platform. However, Taylor & Francis, our agents, and our licensors make no representations or warranties whatsoever as to the accuracy, completeness, or suitability for any purpose of the Content. Any opinions and views expressed in this publication are the opinions and views of the authors, and are not the views of or endorsed by Taylor & Francis. The accuracy of the Content should not be relied upon and should be independently verified with primary sources of information. Taylor and Francis shall not be liable for any losses, actions, claims, proceedings, demands, costs, expenses, damages, and other liabilities whatsoever or howsoever caused arising directly or indirectly in connection with, in relation to or arising out of the use of the Content.

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden. Terms & Conditions of access and use can be found at <http://www.tandfonline.com/page/terms-and-conditions>

Publisher: Taylor & Francis & The Experimental Psychology Society

Journal: *The Quarterly Journal of Experimental Psychology*

DOI: 10.1080/17470218.2015.1051559

The degree of disparateness of event details modulates future simulation construction, plausibility and recall

Valerie van Mulukom^{1,2}, Daniel L. Schacter³, Michael C. Corballis^{1,2}, Donna Rose Addis^{1,2}

¹School of Psychology, The University of Auckland, Auckland, New Zealand

²Centre for Brain Research, The University of Auckland, Auckland, New Zealand

³Department of Psychology, Harvard University, Cambridge, Massachusetts, United States of America

Valerie van Mulukom

The School of Psychology

The University of Auckland

Private Bag 92019

Auckland 1142

New Zealand

vvanmulukom@gmail.com

+64 (0) 9 923 8552

Running head: Detail disparateness and simulations

Page count: Without references= 12; With references= 13

Word count: Abstract= 136; Text= 3561 words (incl. footnotes)

Tables: 1; Figures: 1

Abstract

Several episodic simulation studies have suggested that the plausibility of future events may be influenced by the disparateness of the details comprising the event. However, no study had directly investigated this idea. In the current study, we designed a novel episodic combination paradigm that varied the disparateness of details through a social sphere manipulation. Participants recalled memory details from three different social spheres. Details were recombined either within spheres or across spheres to create detail sets for which participants imagined future events in a second session. Across-sphere events were rated as significantly less plausible than within-sphere events, and were remembered less often. The presented paradigm, which increases control over the disparateness of details in future event simulations, may be useful for future studies concerned with the similarity of the simulations to previous events and its plausibility.

Accepted Manuscript

1 Introduction

The majority of studies examining future event simulation have focused on events that are likely to occur in the near future; such imagined events are typically very similar to previous events that have occurred (e.g., Addis, Cheng, Roberts, & Schacter, 2011). However, we are also capable of imagining future events that are highly dissimilar to previous events, which allows us to prepare for a greater range of future events. This is an important adaptive feature of event simulation as we never know exactly what the future might bring (see also Bar, 2009). Surprisingly, very little research has investigated differences in unusualness of future events. One study, by Weiler, Suchan and Daum (2010), investigated differences between imagined future events that were low or high in occurrence probability and found that lower event occurrence probability was accompanied by increases in activity in the right anterior hippocampus (independent of the amount of detail). It was suggested that low probability events likely involve more disparate details than high probability events, and that the enhanced hippocampal activation may reflect more extensive recombination processes for these disparate details.

Indeed, future events that are dissimilar to past events likely consist of more dissimilar detail recombinations, involving disparate components gleaned from a variety of distinct episodic memories (Addis & Schacter, 2008). Importantly, whether the disparateness of the details comprising a simulation influences the construction processes or the plausibility of that simulation has not yet been investigated directly. In many studies investigating episodic simulation, such as those utilizing the ‘episodic recombination paradigm’ (Addis, Pan, Vu, Laiser, & Schacter, 2009; Martin, Schacter, Corballis, & Addis, 2011; van Mulukom, Schacter, Corballis, & Addis, 2013), it was not possible to determine the degree of disparateness of newly recombined details. Therefore, we designed a novel version of the recombination paradigm, which incorporates a manipulation of the disparateness of details through *social spheres*. Participants either imagined future events incorporating memory details extracted from the same, or from different social spheres. We expected that more extensive detail recombination processes would be required for events comprised of details from different spheres than from the same sphere, and that this would be reflected in higher event construction times and lower detail and coherency ratings. In addition, we expected the events with disparate details to

be rated as more implausible, following their dissimilarity to previous events. Another aim of this study was to investigate the effect of disparateness on encoding of, and later memory for, future events. We assessed whether recall differs between events with disparate or non-disparate details.

2. Methods

2.1 Participants

Twenty-five healthy young adults were recruited via on-campus advertisements and gave written consent to participate in this study, approved by The University of Auckland Human Participants Ethics Committee. All participants were fluent in English, had no history of neurologic or psychiatric conditions or use of psychotropic medications, and had not previously participated in other future simulation studies. Two participants were excluded due to failure to comply with task instructions and thus data from twenty-three participants were analysed (9 males, aged 18-32 years, $M=21.7$ years).

2.2 Procedure

We designed a new version of the recombination paradigm (Addis et al., 2009) to include social spheres. The experiment consisted of three sessions: a pre-simulation session where memory details from various social spheres were collected; a simulation session, in which participants imagined future events involving the collected memory details; and a post-simulation session, consisting of a surprise recall test and a post-simulation interview.

2.3 Session 1: Recall of memory details

Participants identified three social spheres in their lives, where social spheres were defined as 'groups of people who know each other'. It was indicated that the selected social spheres should have minimal overlap. Examples of possible social spheres were provided (e.g., university friends, family, work colleagues, or music/rugby friends). Participants recalled ninety episodic details (thirty persons, thirty locations, thirty objects) for each of these spheres (resulting in 270 memory details in total),

where none of the memory details could be duplicated. In addition, these details were required to be a sphere-specific as possible. Note that unlike previous versions of the recombination paradigm used in our laboratory (Martin et al., 2011; van Mulukom et al., 2013), participants were asked to list episodic details during the pre-simulation session, rather than recall events containing these details. During piloting, participants struggled to recall sufficient numbers of events that had social sphere-specific locations as well as objects, which is crucial for the manipulation in this study. Therefore, we decided to use this listing method for episodic detail generation introduced in a recent study also using the recombination paradigm (Szpunar, Addis, & Schacter, 2012).

The episodic details were used to create cues for two conditions of the simulation session: the *within-sphere* and *across-sphere* condition. For the within-sphere condition, three memory details (one person, one location and one object) from the same social sphere were randomly combined. For the across-sphere condition, each memory detail was selected from a different social sphere and combined into a set of three (see Figure 1A & 1B).

[Enter Figure 1]

2.4 Session 2: Future simulation

Approximately one week later ($M=7$ days, $SD=2.4$ days, range=4-17 days¹), participants completed the future simulation session. After a practice session involving trials from both conditions, participants were presented 90 future event trials (45 *within-sphere*, 45 *across-sphere*), each showing a recombined set of memory details for eight seconds (see Figure 1B). Participants were instructed to imagine specific and novel future events that could take place within the next five years, whilst incorporating the three episodic details presented on the screen. Participants made a button press as soon as they had an event in mind; this response however did not change the screen and participants continued imagining until the end of the eight seconds of the trial. During this time, participants were encouraged to elaborate and flesh out the event. The event simulation screen was followed by three rating screens, each shown for three seconds. The order of these rating screens was pseudo-

¹Note: The delay duration between detail recollection and future event simulations did not correlate with the percentage of future events recalled ($r=.04$, $p=.85$).

randomised and counterbalanced. Participants rated each event on a four point-scale for detail (“0” vague with no or few details, “3” highly detailed and vivid), plausibility (“0” highly implausible, “3” highly plausible) and coherency (“0” a fragmented simulation, the details did not come together well, “3” a fluent simulation, the details came together well). In order to pilot the feasibility of this paradigm for fMRI, trials were separated by periods of fixation, ranging from two to ten seconds ($M=4.22$, $SD=2.08$ seconds).

2.5 Session 3: Cued recall and post-simulation interview

Each participant was given a ten minute break after the simulation session, followed by a surprise memory test. In this cued recall test, participants were presented with two of the details from every detail set presented in the simulation session, and were required to provide the third missing detail (Martin et al., 2011; see Figure 1C). Participants were encouraged not to guess if they did not know the answer but rather move on to the next question, to ensure that the participants were confident about their answers. Afterwards, events were classified as successfully or unsuccessfully remembered on the basis of the cued-recall test.

Next, an interview was conducted for all trials that were successfully remembered - we did not probe trials for which the simulations were subsequently forgotten as we could not be sure that these had been successfully constructed. For each trial, participants briefly described the event they had imagined, enabling us to identify trials in which a specific future event (i.e., events that were specific in time and place) was generated; only these trials were included in the analyses. Next, participants rated the likelihood of the co-occurrence of the three details presented in that detail set. This rating provided a measure of the disparateness of the detail recombination by assessing whether these three details naturally occur together in the participant’s life, allowing us to test whether our sphere manipulation was successful. In addition, participants made a number of ratings for each of the simulated events. The ratings used were: the difficulty to combine the three presented details into a simulation (“0” not difficult, “3” difficult); the emotionality of the event (“0” not emotional, “3” very emotional); and the similarity of the imagined event to previous thoughts and experiences (“0” not similar at all, never happened before, and “3” very similar, I’ve imagined this exact event/this event

actually occurred). Participants also estimated how far in the future the events might take place. Finally, all participants were asked whether they were aware there was going to be a memory test, and all responded that they were not.

3. Results

Trials were excluded if there was no button press (signalling lack of event construction) or a reaction time of less than 500ms (to exclude accidental button presses). Also excluded were trials with a similarity rating of “3”, indicating the imagined future event was identical to previously experienced or imagined events (and therefore non-compliant with task instructions to imagine novel events). These criteria resulted in 5.9% of trials being excluded.

Behavioural data for across-sphere and within-sphere events are provided in Table 1. Results in this section were analysed through a series of paired-sample *t*-tests. To correct for multiple comparisons, we computed a Bonferroni-corrected alpha threshold of $p=.004$, derived by dividing our original alpha criterion ($p=.05$) by the number of *t*-tests we ran (12 in total). Note that unadjusted *p*-values are provided.

First, to confirm that our sphere manipulation had worked, we examined post-simulation ratings to determine whether the details in the across-sphere detail sets were indeed more disparate than the details in the within-sphere set. As expected, we found that the likelihood of co-occurrence of the details comprising the details sets was significantly lower for across-sphere events than for within-sphere events ($t(22)=-12.50$, $p<.001$, $d_z=-2.61$). Furthermore, across-sphere events were rated as less similar to previous thoughts ($t(22)=-29$, $p<.001$, $d_z=-6.05$) and experiences ($t(22)=-10.58$, $p<.001$, $d_z=-2.21$) than within sphere events (noting though that events from both sphere conditions were still considerably far removed from being similar to previous events). Together, these findings confirm that the sphere manipulation affected the disparateness of the details in an imagined event.

Next, we were interested in whether differences in the disparateness of the details influenced the plausibility of events. We found that, as predicted, across-sphere events were rated during simulation as significantly less plausible than within-sphere events ($t(22)=-12.43$, $p<.001$, $d_z=-2.59$). Furthermore, the disparateness of details also affected the construction of future events. A series of

paired samples *t*-tests demonstrated that within-sphere events were faster ($t(22)=4.99, p<.001, d_z=1.04$) and less difficult ($t(22)=8.96, p<.001, d_z=1.87$) to construct, and they were rated during simulation as more coherent ($t(22)=-6.47, p<.001, d_z=-1.35$) and more detailed ($t(22)=-5.65, p<.001, d_z=-1.18$) than across-sphere events. We also tested whether post-simulation ratings of emotionality and temporal distance differed between the sphere conditions. While the temporal distance exceeded the alpha level of $p=.05$, neither effect exceeded the Bonferroni-corrected alpha level of $p=.004$ (temporal distance, $t(22)=2.23, p=.04, d_z=.46$; emotionality, $t(22)=-.98, p=.34, d_z=-.20$)².

Finally, we were interested in whether the disparateness of details influenced recall. We analysed whether the percentage of recalled events of total events differed between across-sphere and within-sphere conditions³. A paired-sample *t*-test revealed that across-sphere events ($M=59.48\%$, $SD=19.50\%$) were remembered significantly less often than within-sphere events ($M=72.20\%$, $SD=14.48\%$; $t(22)=-4.33, p<.001, d_z=-.90$).

[Enter Table 1]

4 Discussion

The main objectives of this study were to investigate whether the disparateness of details comprising imagined future events modulates event plausibility and event recall. To this end, we designed a novel paradigm in which simulation cues incorporated details extracted from the same or from various social spheres. Consistent with the idea that the integration of disparate details requires more extensive processing, the disparateness of details affected construction-related processes: Across-sphere events took significantly longer to generate, were less coherent, were rated as more difficult to construct, and contained less detail than within-sphere events. Furthermore, our analyses also confirmed previous assumptions that events containing disparate details from different social realms

² Given that the non-significant difference of temporal distance between the sphere conditions was nevertheless a medium sized effect ($d_z=.46$), we explored whether temporal distance correlated with key dependent variables. These correlations were generally weak (plausibility: $r=-.25, p=.26$; detail: $r=-.14, p=.54$; coherency: $r=-.22, p=.32$, difficulty: $r=.14, p=.52$; emotion: $r=.10, p=.64$), suggesting that differences in temporal distance on the order of a few weeks are not likely to affect phenomenology of details that were imagined to occur more than a year in the future.

³ We calculated a percentage of the total events per sphere condition rather than comparing the number of recalled trials directly as the number of total trials could slightly differ between the sphere conditions due to the exclusion criteria (see the beginning of *Results* section).

of one's life were rated as less plausible than events containing details that are more closely connected.

Little is known, however, about the psychological mechanisms by which people evaluate the plausibility of imagined future events (Szpunar & Schacter, 2013). If plausible and implausible future events are distinguished in the way that we also distinguish between real (i.e., past) and imagined events, then according to the *reality monitoring theory*, the distinction is made on the basis of the events' phenomenology, and more particularly on the basis of the amount of sensory and perceptual detail present (Johnson & Raye, 1981; Johnson, Suengas, Foley, & Raye, 1988), where more detailed events may be considered more plausible. This idea is supported by a number of findings that real events are typically associated with greater sensory and perceptual detail than imagined future events (e.g., Addis et al., 2009; D'Argembeau & Van der Linden, 2004; Weiler, Suchan, & Daum, 2011). From the perspective of the *availability heuristic*, on the other hand, the fluency with which the event is imagined influences plausibility estimations (Bernstein, Godfrey, & Loftus, 2009; Tversky & Kahneman, 1973; Whittlesea & Leboe, 2003). Thus an unexpected fluency of imagining for a novel event may lead individuals to mistake this fluency for familiarity with the event, thus inflating the belief that the event (or part of the event) is present in episodic memory, resulting in a higher plausibility rating (Bernstein et al., 2009). This idea is consistent with the suggestions that a crucial difference between imagined future events and recalled real past event lies in the effort that is required to construct them (Hassabis, Kumaran, & Maguire, 2007; McDonough & Gallo, 2010). Unfortunately, our data could not adjudicate between these two hypotheses because more plausible within-sphere events were both more fluently constructed and more detailed. Therefore, future studies that can differentiate the reality monitoring theory and availability heuristic are needed.

Another aim of this study was to investigate the effect of novelty (i.e., dissimilarity to past events and unusualness of event details occurring together) on the recall of future simulations. A long-held view maintains that novelty enhances encoding (Tulving, Markowitsch, Craik, Habib, & Houle, 1996), following the idea that information is encoded to the extent it is novel (see also, Knight, 1996). Consistent with this idea is the finding that anterior hippocampus supports memory for novel but not repeated stimuli (Poppenk, McIntosh, Craik, & Moscovitch, 2010), and the finding that medial

temporal responses to novel stimuli are correlated with subsequent memory for these stimuli (Kirchhoff, Wagner, Maril, & Stern, 2000). Typically, these studies have examined recall effects for novel relative to repeated stimuli; however, increased rates of remembering are also evident for novel or *uncommon* stimuli over common stimuli. This encoding advantage for uncommon stimuli has been called the ‘bizarreness effect’, and has been documented over a range of studies including bizarre images and word-pairs (for reviews see, Einstein, Lackey, & McDaniel, 1989; Hirshman, Whelley, & Palij, 1989). In contrast, a recent theory suggests that novelty may be a disadvantage for later recall, in particular with regards to episodic events. Poppenk and Norman (2012) propose in their *scaffolding hypothesis* that the similarity of novel stimuli to previous experiences facilitates the binding of new information as the previous experience provides a ‘scaffold’ to which the new information can be attached. Consistent with this hypothesis are findings that familiarity with the stimuli enhances encoding (Klein, Robertson, Delton, & Lax, 2012; Poppenk, Köhler, & Moscovitch, 2010). Thus, it would be expected that for future events which are less similar to previous experiences, encoding may be less efficient, leading to decreased recall rates for events with more disparate details relative to events with less disparate details.

Our results demonstrated that within-sphere events were remembered significantly more often than across-sphere events. Thus, it would appear that novelty (manifested in the across-sphere condition as the inclusion of disparate details that normally do not occur together) impairs the encoding and recall of imagined future events, while heightened similarity to previous experiences (as evident for the within-sphere condition) enhances encoding. This pattern of findings therefore suggests, in line with the scaffolding hypothesis (Poppenk & Norman, 2012), that factors which scaffold the event into memory – such as pre-existing memories of similar content – likely enhance encoding. This finding is in line with recent work focused on the key role played by encoding of integrated memory representations (Shohamy & Wagner, 2008). Future work that directly evaluates this prediction should provide a basis for evaluating the suggestions laid out here.

The finding that novelty does not seem to enhance encoding and may even disrupt it was somewhat surprising given previous findings that bizarre information is often better encoded than common information (Hirshman et al., 1989; McDaniel & Einstein, 1986). It may be, however, that

this pattern of results is related to the type of memory test (free recall) that was employed in studies that found the bizarreness effect versus the current study (cued recall) (Einstein et al., 1989). Free recall tests measure how strong an entire memory is represented in the mind, and how well this memory can be accessed. Cued recall, on the other hand, tests how strong the connections are between the components that were cued (Einstein et al., 1989). It has previously been suggested that increased remembering rates for bizarre relative to common stimuli (e.g., imagery) are due to increased access to the images rather than enhanced retrieval of the components of the images (McDaniel & Einstein, 1986). Accordingly, the bizarreness effect is found with free recall, but not with cued recall (Einstein et al., 1989). This idea can also explain why our participants frequently mentioned during the post-simulation session that they remembered the ‘bizarre’ events in particular (i.e., an instance of free recall), even though their performance on the cued-recall test showed the contrary. For future research, it would be interesting to do an experiment with the same social sphere paradigm as used in the present study, but using both free and cued-recall tests to further explore this hypothesis. Although our piloting of the standard recombination paradigm (e.g., Martin et al., 2011) has demonstrated that participants remember very few events through the free recall method, it is possible that the sphere manipulation might increase rates of free recall, and thus this may be an interesting venture for future research.

It is important to note that across-sphere events were rated as occurring slightly further into the future than within-sphere events and this medium effect approached significance. This observation suggests that the sphere differences in temporal distance may have influenced some of the results observed in this study. Indeed, close future events (within a year) tend to contain more sensory and contextual details and be associated with stronger feelings of “pre-experience” than distant events (e.g., 5-10 years into the future; D’Argembeau and Van der Linden, 2004). However, our finding that temporal distance was not significantly associated with construction difficulty and event phenomenology speaks against this interpretation, and suggests that differences in temporal distance on the order of a few weeks are not likely to affect the phenomenology of events imagined to occur more than a year into the future.

In summary, this study demonstrates that future events comprised of more disparate details were not only more dissimilar from previous events and less plausible but also required more extensive constructive processes. Moreover, these future events were recalled less frequently than events with similarities to pre-existing memories, highlighting the importance of scaffolding in successful encoding. Further investigation of event novelty and plausibility should provide important insights in the nature and function of future simulation.

Acknowledgments

This work was supported by the Marsden Fund under grants UOA0810 and UOA1210, Rutherford Discovery Fellowship under grant RDF-10-UOA-024, and the National Institutes on Aging under Grant R01 AG08441.

References

- Addis, D. R., Cheng, T., Roberts, R. P., & Schacter, D. L. (2011). Hippocampal contributions to the episodic simulation of specific and general future events. *Hippocampus*, *21*, 1045–1052.
- Addis, D. R., Pan, L., Vu, M., Laiser, N., & Schacter, D. L. (2009). Constructive episodic simulation of the future and the past: Distinct subsystems of a core brain network mediate imagining and remembering. *Neuropsychologia*, *47*, 2222–2238.
- Addis, D. R., & Schacter, D. L. (2008). Constructive episodic simulation: Temporal distance and detail of past and future events modulate hippocampal engagement. *Hippocampus*, *18*, 227–237.
- Bar, M. (2009). The proactive brain: memory for predictions. *Philosophical Transactions of the Royal Society B-Biological Sciences*, *364*(1521), 1235–1243. doi: 10.1098/rstb.2008.0310
- Bernstein, D. M., Godfrey, R. D., & Loftus, E. F. (2009). False memories: the role of plausibility and autobiographical belief. In K. D. Markman, W. M. P. Klein & J. A. Suhr (Eds.), *Handbook of Imagination and Mental Simulation* (pp. 89–102). New York: Taylor & Francis.
- D'Argembeau, A., & Van der Linden, M. (2004). Phenomenal characteristics associated with projecting oneself back into the past and forward into the future: Influence of valence and temporal distance. *Consciousness and Cognition*, *13*, 844–858.
- Einstein, G. O., Lackey, S., & McDaniel, M. A. (1989). Bizarre imagery, interference, and distinctiveness. *Journal of Experimental Psychology-Learning Memory and Cognition*, *15*(1), 137–146. doi: 10.1037//0278-7393.15.1.137
- Hassabis, D., Kumaran, D., & Maguire, E. A. (2007). Using imagination to understand the neural basis of episodic memory. *Journal of Neuroscience*, *27*(52), 14365–14374.
- Hirshman, E., Whelley, M. M., & Palij, M. (1989). An investigation of paradoxical memory effects. *Journal of Memory and Language*, *28*(5), 594–609. doi: 10.1016/0749-596x(89)90015-6
- Johnson, M. K., & Raye, C. L. (1981). Reality monitoring. *Psychological Review*, *88*(1), 67–85. doi: 10.1037//0033-295x.88.1.67

- Johnson, M. K., Suengas, A. G., Foley, M. A., & Raye, C. L. (1988). Phenomenal characteristics of memories for perceived and imagined autobiographical events. *Journal of Experimental Psychology-General*, *117*(4), 371-376. doi: 10.1037//0096-3445.117.4.371
- Kirchhoff, B. A., Wagner, A. D., Maril, A., & Stern, C. E. (2000). Prefrontal-temporal circuitry for episodic encoding and subsequent memory. *Journal of Neuroscience*, *20*(16), 6173-6180.
- Klein, S. B., Robertson, T. E., Delton, A. W., & Lax, M. L. (2012). Familiarity and Personal Experience as Mediators of Recall When Planning for Future Contingencies. *Journal of Experimental Psychology-Learning Memory and Cognition*, *38*(1), 240-245. doi: 10.1037/a0025200
- Knight, R. T. (1996). Contribution of human hippocampal region to novelty detection. *Nature*, *383*, 256-259.
- Martin, V. C., Schacter, D. L., Corballis, M. C., & Addis, D. R. (2011). A role for the hippocampus in encoding simulations of future events. *Proceedings of the National Academy of Sciences of the United States of America*, *108*(33), 13858-13863. doi: 10.1073/pnas.1105816108
- McDaniel, M. A., & Einstein, G. O. (1986). Bizarre imagery as an effective memory aid: The importance of distinctiveness. *Journal of experimental psychology. Learning, memory, and cognition*, *12*(1), 54-65.
- McDonough, I. M., & Gallo, D. A. (2010). Separating past and future autobiographical events in memory: Evidence for a reality monitoring asymmetry. *Memory & Cognition*, *38*(1), 3-12. doi: 10.3758/mc.38.1.3
- Poppenk, J., Köhler, S., & Moscovitch, M. (2010). Revisiting the Novelty Effect: When Familiarity, Not Novelty, Enhances Memory. *Journal of Experimental Psychology-Learning Memory and Cognition*, *36*(5), 1321-1330. doi: 10.1037/a0019900
- Poppenk, J., McIntosh, A. R., Craik, F. I. M., & Moscovitch, M. (2010). Past Experience Modulates the Neural Mechanisms of Episodic Memory Formation. *Journal of Neuroscience*, *30*(13), 4707-4716. doi: 10.1523/jneurosci.5466-09.2010
- Poppenk, J., & Norman, K. A. (2012). Mechanisms supporting superior source memory for familiar items: A multi-voxel pattern analysis study. *Neuropsychologia*, *50*, 3015-3026.
- Shohamy, D., & Wagner, A. D. (2008). Integrating memories in the human brain: hippocampal-midbrain encoding of overlapping events. *Neuron*, *60*(2), 378-389. doi: 10.1016/j.neuron.2008.09.023
- Szpunar, K. K., Addis, D. R., & Schacter, D. L. (2012). Memory for Emotional Simulations: Remembering a Rosy Future. *Psychological Science*, *23*(1), 24-29. doi: 10.1177/0956797611422237
- Tulving, E., Markowitsch, H. J., Craik, F. I. M., Habib, R., & Houle, S. (1996). Novelty and familiarity activations in PET studies of memory encoding and retrieval. *Cerebral Cortex*, *6*(1), 71-79.
- Tversky, A., & Kahneman, D. (1973). Availability: A heuristic for judging frequency and probability. *Cognitive Psychology*, *5*(2), 207-232.
- van Mulukom, V., Schacter, D. L., Corballis, M. C., & Addis, D. R. (2013). Re-imagining the future: Repetition decreases hippocampal involvement in future simulation. *PLoS One*, *8*(7), e69596.
- Weiler, J. A., Suchan, B., & Daum, I. (2010). Foreseeing the future: occurrence probability of imagined future events modulates hippocampal activation. *Hippocampus*, *20*(6), 685-690. doi: 10.1002/hipo.20695
- Weiler, J. A., Suchan, B., & Daum, I. (2011). What comes first? Electrophysiological differences in the temporal course of memory and future thinking. *European Journal of Neuroscience*, *33*(9), 1742-1750. doi: 10.1111/j.1460-9568.2011.07630.x
- Whittlesea, B. W. A., & Leboe, J. P. (2003). Two fluency heuristics (and how to tell them apart). *Journal of Memory and Language*, *49*(1), 62-79. doi: 10.1016/s0749-596x(03)00009-3

Figure Caption

Figure 1. Social sphere recombination paradigm. A. The first session; the detail collection session. B. The second session; the simulation session. Future event cues are created by either combining three memory details within one social sphere (within-sphere, cue left) or by combining three memory details across three social spheres (across-sphere, cue right). C. The third session; the post-simulation session. Following the simulation session, a surprise cued recall memory test was completed by all participants. Participants were presented with two of the three details from each simulation trial set, and were requested to provide the missing detail. In addition, participants completed a post-simulation interview (see Section 2.5 for more information). Please note that the colours are used here to emphasise the difference between conditions and were not utilized in the experiment.


Accepted Manuscript

Table 1: Behavioural data for across-sphere and within-sphere events[†]


Ratings	Mean (SD)	
	Across	Within
<i>Simulation ratings and RT</i>		
Coherency***	1.36 (.47)	1.90 (.40)
Detail***	1.67 (.48)	2.04 (.40)
Plausibility***	0.56 (.41)	1.52 (.54)
RT (s)***	4.92 (.91)	4.41 (.86)
<i>Post-simulation ratings[§]</i>		
Difficulty***	1.53 (.47)	0.79 (.30)
Emotionality	0.43 (.39)	0.49 (.37)
Likelihood of co-occurrence***	0.32 (.21)	1.29 (.39)
Similarity of event to previous experiences***	0.34 (.21)	0.98 (.38)
Similarity of event to previous thoughts***	0.14 (.17)	0.35 (.39)
Temporal distance of event (years)	1.71 (.81)	1.47 (.42)

Note: [†]All participant ratings were made using a four-point rating scale, ranging from 0 (low) to 3 (high), except for temporal distance (in years). [§]These ratings were only collected for events that were successfully recalled. *** $p < .001$.


A Social spheres



B Within-sphere cue



Across-sphere cue



C

