

References:

Chapter 4: - Smith, V.C., Shane, P.A., and Nairn, LA. 2004. Reactivation of a Rhyolitic Magma Body by new Rhyolitic Intrusion before the 15.8 ka Rotorua Eruptive Episode: Implications for Magma Storage in the Okataina Volcanic Centre, New Zealand. *Journal of the Geological Society, London*, 161, pp 757-773.

Chapter 5:- Smith, V.C., Shane, P.A., Nairn, LA, and Williams, C.M. 2006. Geochemistry and magmatic properties of eruption episodes from Haroharo Linear Vent Zone, Okataina Volcanic Centre, Taupo Volcanic Zone, New Zealand during the last 10 kyr. *Bulletin of Volcanology*, 69, pp 57-88.

Chapter 6: - Smith, V.C., Shane, P. and Nairn, LA. 2005. Trends in rhyolite geochemistry, mineralogy, and magma storage during the last 50 kyr at Okataina and Taupo volcanic centres, Taupo Volcanic Zone, New Zealand. *Journal of Volcanology and Geothermal Research*, 148, pp 372-406.

Appendix:

- Kobayashi, T., Nairn, I., Smith, V. and Shane, P. 2005. Proximal stratigraphy and event sequence of the ~5.5 ka Whakatane rhyolite eruption episode from Haroharo volcano, Okataina Volcanic Centre, New Zealand. *New Zealand Journal of Geology and Geophysics*, 48, pp, 471-490.
- Shane, P., Nairn, LA. and Smith, V.C. 2005. Magma mingling in the ~50 ka Rotoiti eruption from Okataina Volcanic Centre: implications for geochemical diversity and chronology of large volume rhyolites. *Journal of Volcanology and Geothermal Research*, 139, pp 295-313.
- Shane, P., Smith, V.C., Lowe, D. and Nairn, LA. 2003. Re-identification of c. 15700 cal. Yr BP tephra bed at Kaipo Bog, eastern North Island: implications for dispersal of Rotorua and Puketarata tephra beds. *New Zealand Journal of Geology and Geophysics*, 46, pp 591-596.
- Shane, P., Smith, V., and Nairn, I. 2003. Biotite composition as a tool for the identification of Quaternary tephra beds. *Quaternary Research*, 59, pp 261-270.