



<http://researchspace.auckland.ac.nz>

ResearchSpace@Auckland

Copyright Statement

The digital copy of this thesis is protected by the Copyright Act 1994 (New Zealand).

This thesis may be consulted by you, provided you comply with the provisions of the Act and the following conditions of use:

- Any use you make of these documents or images must be for research or private study purposes only, and you may not make them available to any other person.
- Authors control the copyright of their thesis. You will recognise the author's right to be identified as the author of this thesis, and due acknowledgement will be made to the author where appropriate.
- You will obtain the author's permission before publishing any material from their thesis.

To request permissions please use the Feedback form on our webpage.
<http://researchspace.auckland.ac.nz/feedback>

General copyright and disclaimer

In addition to the above conditions, authors give their consent for the digital copy of their work to be used subject to the conditions specified on the [Library Thesis Consent Form](#) and [Deposit Licence](#).

Note : Masters Theses

The digital copy of a masters thesis is as submitted for examination and contains no corrections. The print copy, usually available in the University Library, may contain corrections made by hand, which have been requested by the supervisor.

Automated Support for Consistency Management and Validation of Requirements

Massila Kamalrudin

*A thesis submitted in fulfilment of the requirements for the degree of Doctor of
Philosophy of Electrical and Electronic Engineering, The University of Auckland,
2011.*

Abstract

The requirements engineering phase of software development remains presents many challenges to researchers and practitioners alike. Among them, the management of consistency across multiple representations is particularly complex yet it lacks effective tool support. The thesis proposes an automated support mechanism to enable users (Requirements Engineers) to manage the consistency and validation of requirements. We have investigated existing approaches, developed a novel technique, and realised this technique as an automated support tool called MaramaAI (Automated Inconsistency Checker).

We have taken an iterative approach to our work. We began by developing a lightweight extraction approach that allows an accurate and quick extraction of essential requirements (abstract interactions) from natural language requirements and the generation of Essential Use Case models from them. We then used automated traceability with visual support to check the consistency of requirements in three different forms: textual natural language requirements, abstract interaction and Essential Use Case, as well as to further validate the correctness and completeness of requirements. We also extended the automated tool to provide end-to-end rapid prototyping support embedded in the tool for validating requirements consistency in a form usable by both requirement engineers and clients to confirm the consistency of requirements.

We have evaluated the tool's efficacy and performance especially on the extraction process, and also evaluated the user perception on the tool's usability and user-perceived strengths via a substantial usability study and applied the tool to several case studies. The results were positive, and demonstrate that MaramaAI can be used to manage the consistency and validation of requirements in various domains of applications.

Dedication

I dedicate this thesis to my husband Ahmad Fadzil Mohamad, my father Kamalrudin Jantan and my mother Nya Lily Baba.

“Your endless Prayers, love and support have gotten me here”

Acknowledgement

Alhamdulillah: all praises to Allah for giving me good health, a strong will and a clear path to complete this study.

I am heartily thankful to my supervisors, Professor John Hosking and Professor John Grundy, for their guidance and support throughout my PhD study. For almost three years of collaboration, I have learned to think positively, to be confident and focused, to appreciate comments and criticisms, to take up challenges, to try hard to improve weaknesses, to be generous to others and to love and care for my family. I am really glad to have had both of you as my supervisors.

To John & John: You're really great! You have given me such a great time while going through this tough process!

My highest gratitude to my parents (Abah, Mak, Mama and Papa) for all their endless prayers, love, confidence and support to me to go through the ups and downs of this journey.

My warmest appreciation to my beloved husband, Ahmad Fadzil Mohamad, for all his sacrifices, understanding, love, care, motivation and support. Acting as my third supervisor at home, he has really shielded me from all the laziness and negative influences.

To my hubby: Yang, this PhD is yours!

I would like to thank all my friends, especially Jun Huh for his kindness and help throughout this study.

I would also like to thank Silicon Dream Ltd. for sharing their requirements for this research.

I would also like to acknowledge the sponsor of my study: Ministry of Higher Education and UTeM as well as PReSS Account of University of Auckland and the FRST Software Process and Product Improvement project.

Finally, I would like to share this quote which has always been with me for almost three years to keep up the high level of enthusiasm in completing my research:

"Forget mistakes. Forget failure. Forget everything except what you're going to do now and do it. Today is your lucky day." Will Durant

Table of Contents

Abstract	ii
Dedication.....	iii
Acknowledgement	iv
Table of Contents	v
List of Figures	x
List of Tables	xv
Chapter 1: Introduction	1
1 Research Background.....	1
1.1 What is a Requirement?	1
1.1.1 Consistency	2
1.1.2 Inconsistency	3
1.2 Research Motivations	4
1.3 Research Questions	5
1.4 Research Objective.....	7
1.5 Research Methodology	7
1.6 Research Contributions	9
1.7 Thesis Organisation.....	11
1.8 Summary	12
2.1 Requirement Management	13
2.2 Requirement Modelling Technique	14
2.3 Requirements Specification	14
2.3.1 Formal Specification	14
2.3.2 Semi-formal Specification	15

2.3.3	Informal Specification.....	15
2.4	Semantics in Requirements	16
2.5	Requirement Engineering Tools (RE Tools)	16
2.5.1	Examples of Commercial Requirement Engineering Tools	16
2.5.2	Examples of Research Requirement Engineering Tools.....	19
2.5.3	Discussion of RE Tools Features.....	23
2.6	Requirements Validation.....	25
2.7	Consistency/ Inconsistency Management.....	27
2.7.1	Consistency/ Inconsistency Management Techniques in General	27
2.8	Related Work of Consistency/Inconsistency Management	29
2.8.1	Traceability	29
2.8.2	Analysis Approach	30
2.9	Analysis of Consistency / Inconsistency Management Research	39
2.10	Discussion	43
2.11	Summary	44
	Chapter 3: Motivation and Overview of Our Approach	45
3.1	Introduction	45
3.2	Overview of Essential Use Cases (EUCs)	46
3.3	Applying Essential Use Cases: A Study.....	48
3.4	Overview of Our Approach.....	50
3.5	Summary	54
	Chapter 4: Essential Interaction Extraction.....	55
4.1	Introduction	55
4.2	Essential Interaction Pattern Library	57

4.3	Tool Support	60
4.3.1	Tool Process	60
4.3.2	Tool Example	62
4.4	Evaluation	64
4.5	Summary	69
Chapter 5: Managing Requirements Consistency		71
5.1	Introduction	71
5.2	Managing the consistency	71
5.3	Tool Support	73
5.4	Architecture and Implementation	83
5.5	Evaluation	89
5.6	Summary	93
Chapter 6: Requirements Quality Checking.....		95
6.1	Introduction	95
6.2	EUC interaction pattern.....	96
6.3	Our Approach	97
6.4	Tool Support & Usage.....	100
6.4.1	Tool Support	100
6.4.2	Consistency Checking	101
6.4.3	Inconsistency, Incorrectness and Incompleteness Checking	105
6.5	Architecture and Implementation	109
6.6	Conclusion	117
Chapter 7: Supporting Requirement Validation via End-to-End Rapid Prototyping		118
7.1	Introduction	118

7.2	Background.....	119
7.2.1	Rapid Prototyping	119
7.2.2	Essential User Interface (EUI) prototyping.....	119
7.3	Applying EUI Rapid Prototyping: A Study	120
7.4	Related Work.....	123
7.5	Our Approach	125
7.6	EUI Pattern Library	127
7.7	EUI Pattern Template library.....	129
7.8	Tool Support	130
7.9	Architecture and Implementation	134
7.10	Evaluation	138
7.11	Summary	141
	 Chapter 8: Case Studies Examples.....	142
8.1	Introduction	142
8.2	Case Study 1: Reserve a Vehicle from a Rental Company.....	142
8.2.1	Example of Usage.....	143
8.3	Case Study 2: Book Check-out in a Library System	151
8.3.1	Example of Usage.....	152
8.4	Case Study 3: Manage Events with Event Listing System.....	160
8.4.1	Example of Usage.....	161
8.5	Discussion and Summary	169
	 Chapter 9: Evaluation	170
9.1	Evaluation Mechanism Overview	170
9.2	Usability Criteria for Usability Evaluation	171

9.3	Cognitive Dimensions of Notations Approach (CD)	172
9.4	Design of the Study.....	172
9.5	Survey Method.....	175
9.6	Survey Result and Analysis	177
9.7	Comparison of Survey Results	195
9.8	Summary	199
	Chapter 10: Conclusion and Future Work	200
10.1	Summary of Research Contributions	200
10.2	Conclusions	201
10.3	Future Work	202
10.4	Summary	204
	APPENDIX A: PARTICIPANT INFORMATION SHEET (HEAD OF DEPARTMENT).....	205
	APPENDIX B: PARTICIPANT INFORMATION SHEET (STUDENT)	207
	APPENDIX C: CONSENT FORM (HEAD OF DEPARTMENT)	210
	APPENDIX D: CONSENT FORM (STUDENT).....	211
	APPENDIX E: SURVEY QUESTIONNAIRES	212
	REFERENCES	228

List of Figures

Figure 1.1: Requirement Analysis and Negotiation Process (From [5])	2
Figure 2. 1: Example of Features in RaQuest [66].....	17
Figure 2. 2: Example of the Qpack Tool for (1) Requirement tracking and (2) Requirement traceability [67]	18
Figure 2. 3: Example of the Enterprise Architect 8 tool in managing: (1) requirements (2) internal requirements and (3) exporting the internal requirements [3]	19
Figure 2. 4: Example of the EA-Miner tool in eliciting the input requirement(1) and identifying concerns (2) [9].....	20
Figure 2. 5: Example of the LRS Requirement document (1), LRS scenario object and LRS task model (3) generated from the LRS tool [8]	21
Figure 2. 6: Example of the WikiReq system in eliciting and managing requirement: (1) shows the actor view point page, (2) goal view point page and (3) the WikiReq exported to Eclipse [12]....	22
Figure 2. 7: Example of Results from the NAI tool in detecting nocuous coordination ambiguity [7]	23
Figure 2. 8: Heat Map Representations: Categorisation of the Type of Contributions, Techniques, Specifications and Semantics Used for Checking the Consistency/Inconsistency	40
Figure 2. 9: Heat Map representation: Classification of the Model Used as a Semi-Formal Specification Approaches	42
Figure 3.1 : (left) Example of Textual Natural Language Requirements and (right) Example of Essential Use Case (EUC model) [4].....	47
Figure 3. 2: The scenario “Getting Cash” Refined and Adapted from [4] Used For the Evaluation	48
Figure 3. 3: Overview of Our Requirements Consistency with End-to-End Support using EUC and a Traceability Management Approach	52
Figure 4. 1: Our Essential interaction extraction approach	56
Figure 4. 2: Tree Structure for Key Textual Phrase	59
Figure 4. 4: Our Automated Tracing Tool	62

Figure 4. 5: The Tool Usefulness Results.....	66
Figure 4. 6: The tool Ease of Use Results	66
Figure 4. 7: Accuracy across different scenarios	68
Figure 5. 1: Framework for Extracting Requirement (1) Mapping interactions (2) and Creating the EUC Automatically (3)	73
Figure 5. 2: Tracing the Abstract Interaction from Textual Natural Language Requirement and Mapping to the Marama Essential	75
Figure 5. 3: Trace back from EUC diagram in Marama Essential to the Abstract Interaction and Textual natural language requirement	76
Figure 5. 4: Inconsistency Occurring: Change of Sequence of Abstract Interaction	77
Figure 5. 5: Inconsistency Occurring: Change of Sequence of EUC component.....	78
Figure 5. 6: Inconsistency Occurring: Adding New Item to the Abstract Interaction	79
Figure 5. 7: Inconsistency Occurring: Adding New Item to the EUC diagram.....	80
Figure 5. 8: Inconsistency Occurring: Change of Name to the Abstract Interaction.....	81
Figure 5. 9: Inconsistency Occurring: Change of Name to the EUC component	82
Figure 5. 10: MaramaAI Architecture	83
Figure 5. 11: Example of Trace interaction.....	84
Figure 5. 12: Example of Trace Back interaction from Abstract Interaction	85
Figure 5. 13: Example of Trace Back interaction from EUC component.....	86
Figure 5. 14: Example of Map To EUC interaction from Abstract Interaction	87
Figure 5. 15: Example of Index Checker interaction of Abstract Interaction	88
Figure 5. 16: Example of Index Checker interaction of EUC component.....	88
Figure 5. 17: The scenario “Voter Registration” [6] used for the Evaluation	90
Figure 6. 1: Outline of our Requirement Quality Management Process.....	98
Figure 6. 2: Example of extracting an EUC model then adding a new abstract interaction	102

Figure 6. 3: Change the ordering of EUC elements	104
Figure 6. 4: Deletion of an EUC element	105
Figure 6. 5: Example of EUC interaction pattern template (1) and Visual differencing (2)	107
Figure 6. 6: Change generated EUC model following the EUC interaction pattern template	108
Figure 6. 7: MaramaAI tool architecture for managing consistency of requirement	109
Figure 6. 8: Example of Consistency Management: Delete Abstract Interaction	112
Figure 6. 9: Example of Consistency Management: Delete EUC Component	113
Figure 6. 10: Example of Check Consistency with a Template for the Generated EUC Model...	114
Figure 6. 11: Example of Check Keyword of abstract interaction in the abstract interaction Component.....	115
Figure 6. 12: Example of Check Keyword of abstract interaction in the EUC Component.....	116
Figure 7. 1: Example of EUI prototype iterates from Essential Use Cases (EUC model (Ambler [10, 11])	120
Figure 7. 2: Example of Scenario “getting cash” and its EUC diagram	121
Figure 7. 3: End-to-end EUC and EUI prototyping approach.....	125
Figure 7. 4: An example of performing mapping of EUC model to EUI prototype using the UI Pattern library with trace-forward/ trace-back and translating the EUI prototype to the concrete UI-HTML form.....	126
Figure 7. 5: Trace forward and Trace-back from EUC model to EUI prototype.	131
Figure 7. 6: Marama EUI and concrete UI view in a form of form- based UI	132
Figure 7. 7: Modification of EUI prototype - Addition and Deletion in EUI prototype	133
Figure 7. 8: MaramaEUI tool architecture.	134
Figure 7. 9: Example of Map EUC to EUI	136
Figure 7. 10: Example Trace Back from EUI prototype to EUC Model	137
Figure 7. 11: Example of Generating HTML form from the EUI prototype	138

Figure 7. 12.: User study results of Marama EUI-Usefulness, ease of use, ease of learning, satisfaction and accuracy	140
Figure 8. 1: Example of User Scenario: Reserve a Vehicle [1].....	143
Figure 8. 2: Capturing requirements - trace the abstract interaction, trace back and map to EUC model.....	144
Figure 8. 3: Add New Item to Abstract Interaction	145
Figure 8. 4: Change of Abstract Interaction Sequence Ordering	146
Figure 8. 5: Delete the EUC component.....	147
Figure 8. 6: Visual differencing to check for incorrectness and incompleteness.....	148
Figure 8. 7: The generated EUI prototype (1) and translated HTML form (2)	149
Figure 8. 8: Modifications in Prototypes.....	149
Figure 8. 9: Trace back which performs from the EUI prototype.....	150
Figure 8. 10: Example of User Scenario in a Form of Use Case Description: Check-out books of a LLB system [2].....	152
Figure 8. 11: Capturing requirements-trace the abstract interaction and map to EUC model.....	153
Figure 8. 12: Deletion of Abstract Interaction.....	155
Figure 8. 13: Change of EUC component Sequence Ordering.....	156
Figure 8. 14: Visual differencing to check for incorrectness and incompleteness.....	157
Figure 8. 15: EUI Prototype with the extension components (1) and the generated HTML form with hyperlinks (2).....	158
Figure 8. 16: HTML main page and hyperlink pages generated from EUI prototype	159
Figure 8. 17: Example of User Scenarios in the form of Use Case Descriptions: Manage Venue and Manage Event review from the Silicon Dreams Event Listing System specification	161
Figure 8. 18: Capturing Requirements - Trace the Abstract Interaction, Trace Back and Map to EUC model with Multiple Requirements	162
Figure 8. 19: Change of Abstract Interaction Name.....	163

Figure 8. 20: Delete EUC component.....	164
Figure 8. 21: Visual differencing to check for incorrectness and incompleteness for first scenario	165
Figure 8. 22: Visual differencing to check for incorrectness and incompleteness for second scenario.....	166
Figure 8. 23: Multiple EUI prototypes and HTML forms	167
Figure 8. 24: Changes made to the EUI prototype (1) and the results in HTML form (2).....	168
Figure 9. 1: Usability Results-Capturing Requirements	181
Figure 9. 2: Usability Results - Consistency Checking of Requirements	187
Figure 9. 3: Usability Results- End to End Rapid Prototyping.....	192
Figure 9. 4: Comparison Results of Usability Study for Capturing Requirements, Consistency Checking and End-to-End Rapid Prototyping of MaramaAI	196
Figure 9. 5: Comparison results of CD Study for Capturing Requirements, Consistency Checking and End-to- End Rapid Prototyping of MaramaAI.....	197

List of Tables

Table 2. 1: Comparison and Classification of RE Tool features.....	24
Table 2. 2: Type of Requirement Quality and its Description.....	26
Table 3. 1: EUC Extraction Study Results	49
Table 3. 2: Example of Abstract Interaction and its Related Category.....	52
Table 3. 3: Example of EUC Model Generated.....	53
Table 3. 4: Example of EUI Pattern Library for EUI prototype	53
Table 4. 1: Example of Abstract Interactions and their Associated Essential Interaction and Their Related Domains	58
Table 4. 2: Example of Essential Interaction and its Associated Abstract Interaction stored in the Essential Interaction Pattern Library.....	60
Figure 4. 3: An example of performing an essential interaction extraction to a EUC model and supporting trace-forward/trace-back.....	61
Table 4. 3: User Perception Characteristics and Questions Evaluating Them	64
Table 4. 4: Participants Open Feedback	65
Table 4. 5: Comparison result of correctness between Manual extraction (previous chapter) and Automated Tracing Tool	67
Table 5. 1: User Perception Characteristics and Questions Evaluating Them	91
Table 5. 2: Tool Usefulness Result.....	92
Table 5. 3: Tool Ease of Use Results	92
Table 5. 4: Participants Open Feedback	93
Table 6. 1: Examples of EUC Interaction Patterns	97
Table 6. 2: Overview of Comparing the Generated EUC model with EUC Interaction Pattern Template.....	111
Table 7. 1: EUI prototype Modelling Study Results	122

Table 7. 2: Example of EUI pattern Category and its related EUI pattern and it's associated Abstract Interaction from the EUC model	128
Table 7. 3: Examples of EUI Pattern template with its associated EUI Pattern and associated Domains in the EUI Pattern template library.....	129
Table 7. 4: User Perception Characteristics and Questions Evaluating Them	139
Table 9. 1: CD Dimensions and Meaning by Blackwell [157].....	172
Table 9. 2: CD Notations Used and Questions Evaluating Them	174
Table 9. 3: Manual Extraction of EUC Study Result	178
Table 9. 4: Proficiency level of Using the Marama tool and Experience with Any Other Tool.....	180
Table 9. 5: Evaluation Results for Cognitive Dimensions Questions	182
Table 9. 6: Open-Ended Feedback.....	185
Table 9. 7: Evaluation Result for Cognitive Dimensions Questions	188
Table 9. 8: Open-ended Feedback.....	190
Table 9. 9: Evaluation Result for Cognitive Dimensions Questions	193
Table 9. 10: Open-ended Feedback	195